

Docking Station

Triple 4K Display Universal Docking Station – DX3

- WITH 100W LAPTOP CHARGING



Immersive Triple 4K

The MX3 dock can support up to three stunning external displays *. The dock supports extension or mirroring across the three external displays when used with a Windows Laptop.

* The quantity and resolution of video outputs supported is dependent on the capabilities of the computer used with the docking station. Mac laptop users who use the MX3 can only mirror their laptop screen. This is a good solution for Mac laptop users who want to run a single monitor display that's much larger than the laptop screen they are mirroring.

Refer to the resolution support table for details on the output capabilities of computers based on their specifications





Ports for Versatile Work Stations

When you have a lot going on, so does the MX3. It fast-charges laptops with up to 100W of power, supports up to three displays, and delivers connectivity for standard peripherals including Ethernet, audio/microphone jack and USB accessories. All at the same time.




SIMPLIFIED CONNECTIVITY

DP Alt Mode Technology

The MX3 makes multi-display set ups simple. Featuring DP Alt Mode technology, it connects directly with up to three displays and multiple other accessories. No need to install drivers or software. Plug in and go.

"PLUG & PLAY"





SINGLE 5K DISPLAY WITH MAC

The MX3 delivers Mac users a picture-perfect single display for their desk set up.

TRIPLE 4K DISPLAY WITH WINDOWS

Windows users can plug into the MX3 to run up to three ultra-polished external displays.



USB-C Captive Cable



Lock Slot







11 High-Performance Ports

| S0 S0 S0 S0 S0 S0 S0 S0 S0 S0 | 9 0 |
|--|---|
| DP1 DP2 DP3 | |
| A LED Power Button | 5 3.5mm TRRS Audio/Microphone Jack supports quality recording and playback |
| B USB-C to Laptop Input Port. DP Alt Mode with 100W Power Delivery | 6 RJ45 Ethernet 1 Gbps for stable Internet connection |
| C Power Port. Connects to a 135W External Power Adapter (supplied) | DisplayPort (DP1.4/DP++) for generous bandwidth data transmission to run crisp external displays |
| USB-A 3.1 Gen 1 (5G) BC 1.2 & Apple Charging Support connects with older laptops and charges Apple devices | DisplayPort (DP1.4/DP++) for generous bandwidth data transmission to run crisp external displays |
| USB-C 3.1 Gen 2 (10G) BC 1.2 & Apple Charging Support connects with modern laptops and charges Apple devices | 9 DisplayPort (DP1.4/DP++) for generous bandwidth data transmission to run crisp external displays |
| Micro SD Card Reader (SD 4.0) for speedier transfer of bulk images, video and audio between devices | 0 USB-A 3.1 Gen1 (5G) works with older laptops |
| SD Card Reader (SD 4.0) for speedier transfer of bulk images, video and audio between devices | 1) USB-A 3.1 Gen1 (5G) works with older laptops |

Display Resolution Table

| DisplayPort Alternate Mode Support | Single Display | Dual Display MST Host (Independent/Extended) | Triple Display MST Host (Independent/Extended) |
|--|----------------|---|--|
| DP1.4 (HBR3) with DSC | 5120x2880 60Hz | 2x 3840x2160 60Hz | 3x 3840x2160 30Hz |
| DP1.4 (HBR3) without DSC | 3840x2160 60Hz | 2x 3840x2160 30Hz | 1x 3840x2160 30Hz+ 2x 1920x1080P 60Hz |
| DP1.2 (HBR2) | 3840x2160 30Hz | 2x 1920x1080P 60Hz | 3x 1920x1080P 30Hz |



User Interface

Input Output

USB-C 3 x DisplayPort (DP1.4/DP++) 1 x USB-C 3.1 Gen 2 (10G) BC 1.2 and Apple Charging Support 1 x USB-A 3.1 Gen 1 (5G) BC 1.2 and Apple Charging Support

2 x USB-A 3.1 Gen1 (5G) 1 x 3.5mm TRRS Audio / Microphone Jack 1 x RJ45 Ethernet 1Gbps 1 x SD Card Reader (SD 4.0) 1 x Micro SD Card Reader (SD 4.0)

Power

135W External Power Adapter (supplied) Dock can provide up to 100W power to computer

Physical Characteristics

Product Dimensions Colour Weight Materials 190 x 90 x 6.5mm (W x D x H) Space Grey and Black 535g ABS

Video Resolution

Up to 2 \times 4K UHD 60Hz or 3 \times 4K UHD 30Hz with DP 1.4 HBR3 DSC enabled host*

*See resolution support tables above for maximum outputs

Package Includes

1 x Dock 1 x USB-C Cable with USB-A adapter for connection to computer 1 x 135W AC Power Adapter 1 x US; 1 x UK; 1 x EU; 1 x AU Power Cord

1 x User Manual

Audio Support

Device Compatibility

Windows, MacOS Computers

Analogue audio line/microphone in/out

Warranty

2 Year